

Montageanleitung

Mounting Instructions

Instructions de montage


Monteringsanvisning

Montagehandleiding

Instrucciones de montaje


Istruzioni di montaggio


Asennusohje






Blitz-Modul KL-XR2







3**4**








ECE Blitzfolge Frequenz Blitz / 2 Perioden

M S

0ms 245ms 330ms 375ms 490ms 660ms 735ms 750ms 990ms 1125ms


0	0	X	2	2,05 Hz	ABCD				ABCD					
1	1	X	1	2,05 Hz	ABCD				ABCD					
2	2		3	1,5 Hz	ABCD					ABCD				
3	3		4	1,33 Hz	ABCD							ABCD		
0	4	X	2	2,05 Hz	AB	CD			AB		CD			
1	5	X	1	2,05 Hz	AB	CD			AB		CD			
2	6		3	1,5 Hz	AB		CD			AB			CD	
3	7		4	1,33 Hz	AB			CD				AB		CD
8	8		2	2,05 Hz	AC				BD		BD			
9	9		1	2,05 Hz	AC				BD		BD			
A	A		3	1,5 Hz	AC					BD				
B	B		4	1,33 Hz	AC							BD		
8	C		2	2,05 Hz	A	C			B		D			
9	D		1	2,05 Hz	A	C			B		D			
A	E		3	1,5 Hz	A		C			B			D	
B	F		4	1,33 Hz	A			C				B		D






* nur bei KL XR2 Blitzleuchten

KL-XR2



(D) DEUTSCH	Technische Änderungen vorbehalten	Seite	3 - 9
(GB) ENGLISH	Subject to alteration without notice	Page	12 - 15
(F) FRANÇAIS	Sous réserve de modifications techniques	Page	16 - 19
(S) SVENSKA	Vi reserverar oss för tekniska ändringar	Sidan	20 - 23
(NL) NEDERLANDS	Technische wijzigingen voorbehouden	Bladzijde	24 - 27
(E) ESPAÑOL	Reservadas modificaciones técnicas	Página	28 - 31
(I) ITALIANO	Con riserva di modifiche tecniche	Pagina	32 - 35
(FIN) SUOMI	Oikeus teknisiin muutoksiin pidätetään	Sivu	36 - 39





ECE flashing sequences


frequency



flash / 2 periods

M S


0ms 245ms 330ms 375ms 490ms 660ms 735ms 750ms 990ms 1125ms

0	0	X	2	2,05 Hz	ABCD				ABCD					
1	1	X	1	2,05 Hz	ABCD				ABCD					
2	2		3	1,5 Hz	ABCD					ABCD				
3	3		4	1,33 Hz	ABCD							ABCD		
0	4	X	2	2,05 Hz	AB	CD			AB		CD			
1	5	X	1	2,05 Hz	AB	CD			AB		CD			
2	6		3	1,5 Hz	AB		CD			AB			CD	
3	7		4	1,33 Hz	AB			CD				AB		CD
8	8		2	2,05 Hz	AC				BD		BD			
9	9		1	2,05 Hz	AC				BD		BD			
A	A		3	1,5 Hz	AC					BD				
B	B		4	1,33 Hz	AC							BD		
8	C		2	2,05 Hz	A	C			B		D			
9	D		1	2,05 Hz	A	C			B		D			
A	E		3	1,5 Hz	A		C			B			D	
B	F		4	1,33 Hz	A			C				B		D





* only in the case of KL XR2 flashing beacons

F FRANÇAIS




ECE

**Suite
d'éclats**


Fréquence


Eclats / 2 périodes

M S


0ms 245ms 330ms 375ms 490ms 660ms 735ms 750ms 990ms 1125ms

0	0	X	2	2,05 Hz	ABCD				ABCD					
1	1	X	1	2,05 Hz	ABCD				ABCD					
2	2		3	1,5 Hz	ABCD					ABCD				
3	3		4	1,33 Hz	ABCD							ABCD		
0	4	X	2	2,05 Hz	AB	CD			AB		CD			
1	5	X	1	2,05 Hz	AB	CD			AB		CD			
2	6		3	1,5 Hz	AB		CD			AB			CD	
3	7		4	1,33 Hz	AB			CD				AB		CD
8	8		2	2,05 Hz	AC				BD		BD			
9	9		1	2,05 Hz	AC				BD		BD			
A	A		3	1,5 Hz	AC					BD				
B	B		4	1,33 Hz	AC							BD		
8	C		2	2,05 Hz	A	C			B		D			
9	D		1	2,05 Hz	A	C			B		D			
A	E		3	1,5 Hz	A		C			B			D	
B	F		4	1,33 Hz	A			C				B		D








* uniquement pour feux à éclats KL XR2






		ECE	Blixtföljd	Frekvens	Blixt / 2 perioder									
M	S				0ms	245ms	330ms	375ms	490ms	660ms	735ms	750ms	990ms	1125ms
0	0	X	2	2,05 Hz	ABCD				ABCD					
1	1	X	1	2,05 Hz	ABCD				ABCD					
2	2		3	1,5 Hz	ABCD					ABCD				
3	3		4	1,33 Hz	ABCD							ABCD		
0	4	X	2	2,05 Hz	AB	CD			AB		CD			
1	5	X	1	2,05 Hz	AB	CD			AB		CD			
2	6		3	1,5 Hz	AB		CD			AB			CD	
3	7		4	1,33 Hz	AB			CD				AB		CD
8	8		2	2,05 Hz	AC				BD		BD			
9	9		1	2,05 Hz	AC				BD		BD			
A	A		3	1,5 Hz	AC					BD				
B	B		4	1,33 Hz	AC							BD		
8	C		2	2,05 Hz	A	C			B		D			
9	D		1	2,05 Hz	A	C			B		D			
A	E		3	1,5 Hz	A		C			B			D	
B	F		4	1,33 Hz	A			C				B		D







* endast på KL XR2 blixtfyrar






ECE		Flits- volgorde	Frequentie	Flitz / 2 periodes										
M	S				0ms	245ms	330ms	375ms	490ms	660ms	735ms	750ms	990ms	1125ms
0	0	X	2	2,05 Hz	ABCD				ABCD					
1	1	X	1	2,05 Hz	ABCD				ABCD					
2	2		3	1,5 Hz	ABCD					ABCD				
3	3		4	1,33 Hz	ABCD							ABCD		
0	4	X	2	2,05 Hz	AB	CD			AB		CD			
1	5	X	1	2,05 Hz	AB	CD			AB		CD			
2	6		3	1,5 Hz	AB		CD			AB			CD	
3	7		4	1,33 Hz	AB			CD				AB		CD
8	8		2	2,05 Hz	AC				BD		BD			
9	9		1	2,05 Hz	AC				BD		BD			
A	A		3	1,5 Hz	AC					BD				
B	B		4	1,33 Hz	AC							BD		
8	C		2	2,05 Hz	A	C			B		D			
9	D		1	2,05 Hz	A	C			B		D			
A	E		3	1,5 Hz	A		C			B			D	
B	F		4	1,33 Hz	A			C				B		D






* alleen bij KL XR2 flitslichten



E ESPAÑOL





ECE **Secuencias de destillos** **Frecuencia** **Destillo / 2 Períodos**

M	S				Destillo / 2 Períodos									
					0ms	245ms	330ms	375ms	490ms	660ms	735ms	750ms	990ms	1125ms
0	0	X	2	2,05 Hz	ABCD				ABCD					
1	1	X	1	2,05 Hz	ABCD				ABCD					
2	2		3	1,5 Hz	ABCD					ABCD				
3	3		4	1,33 Hz	ABCD							ABCD		
0	4	X	2	2,05 Hz	AB	CD			AB		CD			
1	5	X	1	2,05 Hz	AB	CD			AB		CD			
2	6		3	1,5 Hz	AB		CD			AB			CD	
3	7		4	1,33 Hz	AB			CD				AB		CD
8	8		2	2,05 Hz	AC				BD		BD			
9	9		1	2,05 Hz	AC				BD		BD			
A	A		3	1,5 Hz	AC					BD				
B	B		4	1,33 Hz	AC							BD		
8	C		2	2,05 Hz	A	C			B		D			
9	D		1	2,05 Hz	A	C			B		D			
A	E		3	1,5 Hz	A		C			B			D	
B	F		4	1,33 Hz	A			C				B		D








* sólo en luces de destello KL XR2

I ITALIANO





		ECE	Secuencia di lampeggio	Frecuencia	Lampeggio / 2 periodi									
M	S				0ms	245ms	330ms	375ms	490ms	660ms	735ms	750ms	990ms	1125ms
0	0	X	2	2,05 Hz	ABCD				ABCD					
1	1	X	1	2,05 Hz	ABCD				ABCD					
2	2		3	1,5 Hz	ABCD					ABCD				
3	3		4	1,33 Hz	ABCD							ABCD		
0	4	X	2	2,05 Hz	AB	CD			AB		CD			
1	5	X	1	2,05 Hz	AB	CD			AB		CD			
2	6		3	1,5 Hz	AB		CD			AB			CD	
3	7		4	1,33 Hz	AB			CD				AB		CD
8	8		2	2,05 Hz	AC				BD		BD			
9	9		1	2,05 Hz	AC				BD		BD			
A	A		3	1,5 Hz	AC					BD				
B	B		4	1,33 Hz	AC							BD		
8	C		2	2,05 Hz	A	C			B		D			
9	D		1	2,05 Hz	A	C			B		D			
A	E		3	1,5 Hz	A		C			B			D	
B	F		4	1,33 Hz	A			C				B		D








* solo per lampeggianti KL XR2





		ECE	Välähdyssarjat	Taajuus	Välähdys / 2 vaihetta									
M	S				0ms	245ms	330ms	375ms	490ms	660ms	735ms	750ms	990ms	1125ms
0	0	X	2	2,05 Hz	ABCD				ABCD					
1	1	X	1	2,05 Hz	ABCD				ABCD					
2	2		3	1,5 Hz	ABCD					ABCD				
3	3		4	1,33 Hz	ABCD							ABCD		
0	4	X	2	2,05 Hz	AB	CD			AB		CD			
1	5	X	1	2,05 Hz	AB	CD			AB		CD			
2	6		3	1,5 Hz	AB		CD			AB			CD	
3	7		4	1,33 Hz	AB			CD				AB		CD
8	8		2	2,05 Hz	AC				BD		BD			
9	9		1	2,05 Hz	AC				BD		BD			
A	A		3	1,5 Hz	AC					BD				
B	B		4	1,33 Hz	AC							BD		
8	C		2	2,05 Hz	A	C			B		D			
9	D		1	2,05 Hz	A	C			B		D			
A	E		3	1,5 Hz	A		C			B			D	
B	F		4	1,33 Hz	A			C				B		D





* vain KL XR2 -välähdysmajakoissa

